

Netstor NS750S/NS760S 4 / 8 bays Desktop Storage

Quick Installation Guide

Second Edition, July 2007

1. Overview

Netstor 4/8 bays SAS/SATA desktop storage solution provides a best performance and most easy way to expand external storage capacity through the high bandwidth Multi-Lane interface architecture. With the IPC-grade Power Supply and No-noise cooling design allows Studio usage in long period Video/Audio Editing and close-proximity application.

NS750S & NS760S built-in SAS/SATA compatible backplane that allows users choose on low cost SATA or high reliable SAS Hard Drives while build-in their system.

The product line includes the following modes:

- NS750S 4 bays SAS/SATA Desktop Storage
- NS760S 8 bays SAS/SATA Desktop Storage

2. Package Checklist

Before installing the NA750B/NA760B, verify that package contains the following items.

☐ NS750S

☐ NS760S

Enclosure x 1 Enclosure x 1

HDD Tray x 4 HDD Tray x 8

Power Cord x 1 Power Cord x 1

Manual CD x 1 Manual CD x 1

Hard Drive Mounting Screw x 16 Hard Drive Mounting Screw x 32

Key for HDD tray x 2 Key for HDD tray x 2

Notify your sales representative if any of the above items are missing or damaged.

3. Product Description

Panel Layout





NS750S

NS760S

NS750S/NS760S:

- 1. Power LED
- Fan LED Normal – Green;

Fail – Red (too slow rpm or stop)

- Temperature LED (normal – Green;
 Over 55°C – Red
- Mute button for stopping Fan stop or Temp. abnormal high buzzer alarm

-1-


4. Product Connection

· NS750S



Multilane Connector –
 Connecting the end of Multilane (SFF8470)
 cable here and another end to Host
 Controller.

· NS760S



- Multilane Connector –
 Connecting the end of Multilane (SFF8470)
 Cable here and another end to Host Controller
 Channel 1~4.
- Multilane Connector –
 Connecting the end of Multilane(SFF8470)
 cable here and another end to Host Controller
 Channel 5~8.